


TONEARM WITH CIRCLE ADAPTOR

9W1	€ 3.600,00
9W2	€ 3.600,00
9WT	€ 8.200,00
12J2	€ 5.100,00
12JT	€ 9.300,00

TONEARM WITH EXTERNAL TONEARM BASE "FORTISSIMO"

9W1	€ 6.200,00
9W2	€ 6.200,00
9WT	€ 10.500,00
12J2	€ 7.680,00
12JT	€ 11.500,00

TURNTABLE

GIRO MK2	€ 7.100,00
GIRO MK2 + 9W2	€ 10.400,00
GIRO MK2 + 9W2 + UPGRADE POWER SUPPLY	€ 11.350,00
GIRO MK2 + 9WT	€ 14.450,00
GIRO MK2 + 9WT + UPGRADE POWER SUPPLY	€ 15.400,00

VIELLA	€ 13.700,00
VIELLA + 9W1	€ 16.470,00
VIELLA + 9W1 + UPGRADE POWER SUPPLY	€ 19.200,00
VIELLA + 12J2	€ 17.960,00
VIELLA + 12J2+ UPGRADE POWER SUPPLY	€ 20.700,00
VIELLA + 12JT	€ 21.800,00
VIELLA + 12JT + UPGRADE POWER SUPPLY	€ 24.500,00

VIELLA FORTE	€ 25.150,00
VIELLA FORTE + 12JT	€ 32.700,00
VIELLA FORTE ENGRAVED	€ 27.000,00
VIELLA FORTE + 12JT + ENGRAVED	€ 34.500,00

VENTUS disponibile Settembre 2025 PREPHONO 3 ingressi circuito bilanciato	€ 20.000,00
--	-------------

ACCESSORI

UPGRADE POWER SUPPLY GIRO	€ 1.100,00
UPGRADE POWER SUPPLY VIELLA	€ 2.900,00
BELT	€ 60,00
COUNTERWEIGHT SMALL	€ 90,00
SME ADAPTOR	€ 280,00
LINN ADAPTOR	€ 170,00
TONE ARM SCALE	€ 170,00
RECORD CLAMP FORTE	€ 640,00
RECOR CLAMP FORTE COLORED	€ 740,00
EXTERNAL TONEARM BASE "FORTISSIMO"	€ 2.900,00
SKIRT GIRO CHERRY OILED	€ 1.840,00
SKIRT VIELLA CHERRY	€ 1.700,00
SKIRT VIELLA BLACK LAQUERED	€ 2.300,00

CAVI

STANDARD TONEARM CABLE 1.5m RCA (Made in Germany since 2022)	€ 350,00
REFERENCE TONEARM CABLE 1.5m RCA (made in Germany since 2023)	€ 1.740,00
SILVERCLEAR TONEARM CABLE 1.5m RCA (made in Germany since 2023)	€ 3.750,00



AMPLIFICATORI INTEGRATI		
disponibili in finitura black e silver – (1) Telecomando incluso		
IN 50 Signature	2x50 w predisp scheda phono	€ 920,00
IN 80 Signature	2x80 w predisp scheda phono	€ 1.050,00
IN 100 Signature	2x100 w predisp scheda ph – 2 trasf toroidali	€ 1.250,00
IN 200 EVO (1)	2x120 w predisp scheda ph – 2 trasf toroidali	€ 1.890,00
IN 300 EVO (1)	2x150 w <u>senza scheda dac di serie</u>	€ 2.790,00
IN 400 EVO (1)	2x160 w predisp scheda ph USB/XLR/IN	€ 5.700,00
PREAMPLIFICATORI STEREO		
disponibili in finitura black e silver (1) Telecomando incluso		
PR 200 Signature	predisp scheda phono aliment 340 VA	€ 1.050,00
PR 300 Signature (1)	digital board opzionale	€ 1.550,00
PR 300 EVO (1)	digital board opzionale	€ 2.100,00
PR 400 EVO (1)	predisp scheda digital 2 trasf tor XLR IN/OUT	€ 5.500,00
FINALE DI POTENZA		
disponibili in finitura black e silver		
AM 100 Signature	2x100 watt 2 trasformatore toroidale	€ 1.050,00
AM 200 EVO	2x120 watt 2 trasf toroid – anche in mono	€ 1.480,00
AM 300 EVO	6 MOS-FET transistors per canale, 2x150W rms/8Ω, XLR IN bilanc	€ 2.500,00
AM 400 EVO	2x170 w 2 trasf toroidali XLR IN – mono	€ 5.200,00
AMPLIFICATORI 3 E 5 CANALI		
disponibili in finitura black e silver		
AV 100	3x100 w 2 trasf toroidale	€ 900,00
AV 500	5x80 w – 2 trasf toroidale	€ 1.200,00
LETTORI CD		
disponibili in finitura black e silver – (1) Telecomando incluso		
CD 50 EVO (1)	cd/MP3- 5 stadi di aliment – stadio di uscita classe A	€ 1.000,00
CD 80 EVO (1)	cd/MP3- 5 stadi di aliment – stadio di uscita classe A	€ 1.150,00
CD 100 EVO (1)	cd/MP3- 7 stadi di aliment – stadio di uscita classe A	€ 1.350,00
CD 200 EVO (1)	Digital inputs opzionale	€ 1.850,00
CD 400 EVO (1)	cd player top di gamma, caricamento dall'alto con meccanica sviluppata da Atoll, architettura dual-mono con doppio Dac Burr Brown PCM1792A, ingressi digitali ottico, coassiale ed USB, uscite analogiche XLE ed RCA	€ 5.850,00
CD DRIVE		
disponibili in finitura black e silver – (1) Telecomando incluso		
DR 100 EVO (1)	meccanica Teac e RCA output -alimentazione 15VA	€ 1.150,00
DR 200 EVO (1)	meccanica Teac, output COAX, OPT, AES/EBU	€ 1.500,00
DR 400 EVO (1)	meccanica cd top di gamma, caricamento dall'alto con meccanica sviluppata da Atoll, 4 alimentatori indipendenti, doppi trasformatori isolati per le uscite digitali, uscite digitali coassiale, ottica ed AES/EBU	€ 5.000,00
CONVERTITORI DAC		
disponibili in finitura black e silver – (1) Telecomando incluso		
DAC 100 Signature	XMOS asynchronous USB converter capace di leggere file da 24/192 e DSD64 / DSD128	€ 650,00

DAC 200 Signature (1)	ingresso USB – 3 OPT – 3 COAX – due trasformatori indipendenti – convertitore BURR BROWN PCM1792 – finitura black – telecomando per selezionare gli ingressi e regolare il volume – XLR OUT	€ 1.800,00
DAC 300 (1)	Hi-res SABRE converter, ultra low jitter clock, volume control	€ 2.600,00
STREAMERS disponibile in finitura black e silver – (1) Telecomando incluso		
ST 200 Signature (1)	Hi-res streamer including 3 streaming services (Tidal, Qobuz, Deezer), A class preamp, Hi-res converter (compatible DSD)	€ 2.300,00
ST 300 Signature (1)	UPnP network player, Converter, Class A preamp	€ 3.000,00
STREAMERS AMPLIFICATI disponibili in finitura black e silver – (1) Telecomando incluso		
SDA 200 Signature (1)	all in one come i DR ma amplificato 2x120W + BT	€ 3.100,00
SDA 300 Signature (1)	NEW!!! All in one, 2x440VA, 6 MOS-FET x channel, 2x150Wrms/8 ohm, 24 bits/192kHz Burr-Brown converter. BT, Roon ready	€ 4.000,00
FM TUNER disponibile in finitura black e silver		
TU 80 Signature	tuner con RDS	€ 700,00
MODULO PHONO disponibile in finitura black e silver		
PH 100	MM – MC – guadagno ed impedenza di ingresso regolabili	€ 420,00
PH 200	NEW! PHONO PREAMPLIFIER	€ 1.200,00
AMPLIFICATORE PER CUFFIE disponibili in finitura black e silver		
HD 100	Amplificatore per cuffie e convertitore. 2 RCA input – 1 OPT – 1 COAX – 1 USB (24-96) – 1 RCA uscita – 2 cuffie – volume controllo analogico	€ 650,00
HD 120	Amplificatore per cuffie e convertitore. 2 RCA input – 1 OPT – 1 COAX – 1 USB (24-192) – 1 RCA uscita – 2 cuffie – Bluetooth - volume controllo analogico	€ 800,00
MINI AMPLIFIER disponibile in finitura black e silver		
MA 100	Mini amplificatore di potenza 2x60 watt, configurabile in mono, trigger 12V	€ 500,00
MINI STREAMER disponibile in finitura black e silver - (1) Telecomando incluso		
MS 120 (1)	Mini streamer	€ 1.300,00
MINI LETTORE CD disponibile in finitura black e silver - (1) Telecomando incluso		
MD 100 EVO (1)	Mini lettore cd – compatibile con i formati CD, CD-R, CD-RW; MP3 – convertitore PCM5102, 1RCA – 2 digital output (1 OPT – 1 COAX)	€ 750,00
COMPONENTI AGGIUNTIVI		
REMOTE CONTROL		€ 46,00
DC200 DIGITAL INPUTS PER CD SIGNATURE include Coaxial, optical and USB 24/192 asynchronous		€ 200,00
DA100 SPDIF BOARD per IN e PR SIGNATURE (2 COAX + 2 OPTICAL)		€ 200,00
DA200 DIGITAL BOARD per IN e PR SIGNATURE include DSD, USB 24/192, Bluetooth, 2 optical, 2 coaxial inputs		€ 350,00
PHONO P50 (IN & PR)– escluso in 30 – modulo phono interno per MM		€ 65,00
PHONO P100 (IN & PR)– escluso in 30 – modulo phono interno per MM/MC		€ 106,00
Trigger opzionale per AV 100 e AV 500		€ 60,00



MC 4-SE	cp. mini diffusori da stand, 2 vie – 2 altoparlanti, 85 dB, 4 ohm, disponibili in finitura noce o zebra	€ 1.220,00
MC 5	cp. mini diffusori da stand, 2 vie – 2 altoparlanti, 86 dB, 8 ohm, disponibili in finitura noce o zebra	€ 1.460,00



Superarm- Dettaglio musicale preciso per ascoltare più musica!

Superarm 9" + cavo "basis perfect signal transmission" 1,2 mt	€ 30.500,00
Superarm 12,5" + cavo "basis perfect signal transmission" 1,2 mt	€ 43.920,00
Superarm 16" + cavo "basis perfect signal transmission" 1,2 mt	€ 55.500,00
Lunghezza aggiuntiva per mt (braccio ordinato con cavi di lunghezza personalizzata)	€ 1.100,00

Vector tonearms

Model 4 + cavo "basis perfect signal transmission" 1,2 mt	€ 10.000,00
Model 4 + micrometer VTA + cavo "basis perfect signal transmission" 1,2 mt	€ 11.590,00
Lunghezza aggiuntiva per mt (braccio ordinato con cavi di lunghezza personalizzata)	€ 976,00

work of art

+ SuperArm 9 comprende stand - Vacuum – syncro-wave – Microthin belt	su richiesta
--	--------------

A.J. CONTI TRASCENDENCE con SUPERARM 9

One SuperArm 9 + stand - Vacuum – syncro-wave – Microthin belt	su richiesta
Two SuperArm 9 + comprende stand - Vacuum – syncro-wave – Microthin belt	su richiesta
Three SuperArm 9 + comprende stand - Vacuum – syncro-wave – Microthin belt	su richiesta
Four SuperArm 9 + comprende stand - Vacuum – syncro-wave – Microthin belt	su richiesta

A.J. CONTI TRASCENDENCE con SUPERARM 12,5

One SuperArm 12,5 + stand - Vacuum – syncro-wave – Microthin belt	su richiesta
Two SuperArm 12,5 + comprende stand - Vacuum – syncro-wave – Microthin belt	su richiesta
Three SuperArm 12,5 + comprende stand - Vacuum – syncro-wave – Microthin belt	su richiesta
Four SuperArm 12,5 + comprende stand - Vacuum – syncro-wave – Microthin belt	su richiesta

Inspiration

inspiration clear + SuperArm 9 comprende Vacuum – syncro-wave – Microthin belt	su richiesta
inspiration black + SuperArm 9 comprende Vacuum – syncro-wave – Microthin belt	su richiesta
inspiration clear + Super Platter & SuperArm 9 comprende Vacuum – syncro-wave – Microthin belt	su richiesta
inspiration black + Super Platter & SuperArm 9 comprende Vacuum – syncro-wave – Microthin belt	su richiesta
Super Platter & Bearing upgrade per Inspiration (acquistato separatamente)	su richiesta

Debut signature series turntable

Debut diamond signature, clear	€ 39.770,00
Debut clear con Reflex clamp, cable Isolation, Vector 4 VTA	€ 53.000,00
Debut clear con Vacuum, cable Isolation, Vector 4 VTA	€ 64.170,00
Debut clear con Vacuum, cable Isolation, SuperArm 9	€ 81.980,00

2800 signature vacuum turntable

2800 diamond signature, clear include vacuum	€ 39.050,00
2800 signature black include vacuum – all silver accents	€ 42.700,00
2800 clear include vacuum, calibrator, cable isolation, Vector 4 VTA	€ 56.120,00
2800 clear include vacuum, calibrator, cable isolation, SuperArm 9	€ 73.080,00

2500 signature series turntable

2500 diamond signature, Clear	€ 26.850,00
2500 Signature black, all silver accents	€ 30.500,00
2500 clear con Reflex clamp, calibrator, cable isolation, Vector 4 VTA	€ 45.140,00
2500 clear con Reflex clamp, calibrator, cable isolation, SuperArm 9	€ 62.220,00

2200 signature series turntable

2200 signature, Clear	€ 13.450,00
2200 con Reflex clamp, calibrator base, cable isolation, Vector 4 VTA	€ 31.110,00
2200 con Reflex clamp, calibrator base, cable isolation, SuperArm 9	€ 48.678,00

Bravo turntable

Bravo turntable con Bravo Vector	€ 16.715,00
Bravo turntable con Vector 4 VTA	€ 19.520,00
Bravo turntable con Bravo Vector (2 o più)	€ 16.715,00
Bravo turntable con Vector 4 VTA (2 o più)	€ 19.520,00

Dual tonearm turntable

2502 Diamond Signature (2500 per 2 tonearms), Clear	€ 37.575,00
2802 Diamond Signature Vacuum (2800 per 2 tonearms), Clear	€ 49.655,00

calibrator base / cable isolation

Calibrator base for models 2001-2008, clear with cable isolation system	€ 5.000,00
Calibrator base for models 2001-2008 black with cable isolation system	€ 5.490,00
Calibrator base for models 2502-2802 clear with cable isolation system	€ 7.440,00
cable isolation system x Debut turntables	€ 795,00

Synchro-wave

Synchro-wave power supply (microthin belt recommended)	€ 10.125,00
Synchro-wave by-pass	€ 488,00
Modify current motor for use with synchro-wave	€ 675,00

** NB only Signature Series Motors can be used with Synchro-wave. OLDER MOTORS MUST BE REPLACED

Vacuum system

Basis Vacuum record hold down system	€ 12.080,00
--------------------------------------	-------------

Record Clamp

<i>Basis Reflex Record Clamp, Black o Silver</i>	€ 1.040,00
--	------------

ACCESSORI

<i>Basis "Golden Touch" scratch-free polishing cloth</i>	€ 55,00
<i>Basis "Magic Potion" polishing liquid</i>	€ 55,00
<i>Basis Bearing Oil circa 30ml</i>	€ 105,00
<i>Basis Silicone Fluid circa 30ml</i>	€ 74,00
<i>Basis Silicone Fluid circa 118ml</i>	€ 269,00
<i>Cinghia, Revolution precision ground</i>	€ 293,00
<i>Cinghia, Revolution Microthin precision ground for Synchro-wave</i>	€ 309,00
<i>Cappa copripolvere per serie 2000 e Inspiration Turntables black fabric cover con Basis Logo, clear acrylic support frame</i>	€ 1.950,00

Boulder

serie 500

508	Phono Preamplifier	€ 7.500,00
-----	--------------------	------------

serie 800

812	DAC Preamplifier - Digital/Streaming Capability, Heaphone Amp, Analog Inputs	€ 12.250,00
861	Stereo Power Amplifier - 50W, Balanced Output	€ 12.250,00
866	Integrated - 200W, Digital/Streaming Capability & Analog Inputs.	€ 22.400,00
866 analogico	Integrated - 200W, Analog Inputs only	€ 20.500,00

serie 1100

1108	Phono Preamplifier	€ 26.900,00
1110	Stereo Preamplifier	€ 30.700,00
1151	Finale di potenza monofonico 250 W <u>Class A Smart Current</u> prezzo cad.	€ 28.000,00
1162	Finale di potenza stereofonico 300 W <u>Class A Smart Current</u>	€ 57.000,00
1163	Finale di potenza stereofonico 150 W <u>Class A Smart Current</u> ,	€ 39.000,00

serie 2100

2108	Phono preamplifier	€ 79.400,00
2110	Preamplifier	€ 99.900,00
2150	Mono Power Amplifier – 1000 watt (prezzo cadauno)	€ 83.200,00
2160	Stereo Power Amplifier – 600 watt	€ 90.950,00

serie 3000

3010	Balanced Preamplifier	su richiesta
3050	Mono class A Power Amplifier – 1500 watt	su richiesta
3060	Stereo Class A Power Amplifier – 900 watt	su richiesta

Accessori

(prezzo coppia)

PHRCA	coppia adattatori femmina rca/maschio 3 poli XLR specifico per il collegamento all'ingresso phono	€ 625,00
ABL2	coppia adattatori femmina rca/maschio 3 poli XLR	€ 350,00
ABU2	coppia adattatori femmina 3 poli XLR/femmina rca	€ 350,00
DABL	<u>singolo</u> adattatore femmina rca 75 ohm digitale coassiale / a maschio 3 poli XLR AES/EBU 110 ohm	€ 280,00



finite elemente

THE SCIENCE OF SOUND

CERABASE° classic

Load capacity: 500 kg (set of 4)

- **stainless-steel**, screwable, height-adjustable
- incl. wooden box + assembly accessories



MODELLO	Article	
cbs-4	Cerabase classic 4 [set of 4]	€ 880,00
cbs-3	Cerabase classic 3 [set of 3]	€ 690,00

CERABASE° compact

Load capacity: 500 kg (set of 4)

- **stainless-steel**, screwable, height-adjustable
- incl. wooden box + assembly accessories



MODELLO	Article	
cmp-4	Cerabase compact 4 [set of 4]	€ 720,00
cmp-3	Cerabase compact 3 [set of 3]	€ 560,00

CERABASE° slimline

Load capacity: 500 kg (set of 4)

- **stainless-steel**, screwable, **NOT** height-adjustable
- incl. wooden box + assembly accessories



MODELLO	Article	
slm-4	Cerabase slimline 4 [set of 4]	€ 560,00
slm-3	Cerabase slimline 3 [set of 3]	€ 440,00

CERAPUC°

Load capacity: 300 kg (set of 4)

- **stainless-steel**, screwable, height-adjustable
- incl. wooden box + assembly accessories



MODELLO	Article	
cpc-4	Cerapuc 4 [set of 4]	€ 525,00
cpc-3	Cerapuc 3 [set of 3]	€ 410,00

CERABALL°

Load capacity: 200 kg (set of 4)

- **stainless-steel**, screwable, height-adjustable
- incl. wooden box + assembly accessories



MODELLO	Article	
cb-4	Ceraball 4 [set of 4]	€ 330,00
cb-3	Ceraball 3 [set of 3]	€ 255,00



CERABASE° B&W D3/D4

Special Cerabase version for **Bowers & Wilkins 800 D3 + D4 series**

- suitable for 801D4, 802D4 & 803D4 Diamond
- suitable for 800D3, 802D3 & 803D3 Diamond
- stainless-steel, screwable, height-adjustable
- incl. wooden box

MODELLO	Article	
cbs-4 B&W D3/D4	Cerabase B&W D3/D4 [set of 4]	€ 960,00

CERABASE° B&W D2

Special Cerabase version for **B&W 800 D2 series**

- suitable for 800D2, 801D2, 802D2, 800D2 & 802D2 Diamond
- stainless-steel, screwable, height-adjustable
- incl. wooden box

MODELLO	Article	
cbs-4 B&W D2	Cerabase B&W D2 [set of 4]	€ 960,00

CERA° thread adapters

Suitable for **Cerapuc + Ceraball**

- stainless-steel
- overall length: 35 mm
- thread lengths: M10/M8 = 25 mm / M8 = 10 mm
- four different thread pitches available:
 - a) **M10x1,50 mm** (for i.e. Magico, Vienna Acoustics)
 - b) **M10x1,25 mm** (for i.e. Monitor Audio)
 - c) **M10x1,00 mm** (for i.e. Paradigm)
 - d) **M8x1,00 mm** (for i.e. KEF)

MODELLO	Article	
apt M10x1,50	Adapter M10x1,50 [set of 4] for i.e. Magico, Vienna Acoustics	€ 36,00
apt M10x1,25	Adapter M10x1,25 [set of 4] for i.e. Monitor Audio	€ 36,00
apt M10x1,00	Adapter M10x1,00 [set of 4] for i.e. Paradigm	€ 36,00
apt M8x1,00	Adapter M8x1,00 [set of 4] for i.e. KEF	€ 36,00

CARBOFIBRE° bases

CARBOFIBRE° isolation base

- Single-layer version for light to middle-weight components (up to 50 kg)
- Single honeycomb core w/ carbon fibre layers all-round
- Precision bubble for easy levelling / Height-adjustable stainless-steel feet
- Thickness 23 mm / two sizes available – custom sizes upon request at 15% extra cost



MODELLO	Article	
CF01	CARBOFIBRE° - 450 x 400 x 23 mm	€ 1.790,00
CF02	CARBOFIBRE° - 500 x 475 x 23 mm	€ 1.890,00

CARBOFIBRE° HD isolation base

- Multi-layer version for light to heavy components (up to 100 kg)
- Dual honeycomb core w/ carbon fibre intermediate and all-round layers
- Precision bubble for easy levelling / Height-adjustable stainless-steel feet
- Thickness 45 mm / two sizes available – custom sizes upon request at 15% extra cost

MODELLO	Article	
CFHD01	CARBOFIBRE° HD - 450 x 400 x 45 mm	€ 2.290,00
CFHD02	CARBOFIBRE° HD - 500 x 475 x 45 mm	€ 2.390,00

CARBOFIBRE° rack shelves (as option for PAGODE° MKII) additional price – to be added to the standard rack price

- Optional single-layer shelf for PAGODE° 600/750/1120 MKII (standard or Heavy-Duty option)
- Single honeycomb core w/ carbon fibre layers all-round
- Thickness 18 mm (standard) or 23 mm (Heavy-Duty) / two sizes available
- 1120 MKII series requires 2 pcs. CF600 or CF600HD shelves per level



MODELLO	Article	
CF600opt	CARBOFIBRE° 600 standard - 515 x 465 x 18 mm	€ 990,00
CF600HDopt	CARBOFIBRE° 600 Heavy-Duty - 515 x 465 x 23 mm	€ 1.190,00
CF750opt	CARBOFIBRE° 750 standard - 665 x 465 x 18 mm	€ 1.190,00
CF750HDopt	CARBOFIBRE° 750 Heavy-Duty - 665 x 465 x 23 mm	€ 1.390,00

CARBOFIBRE° rack shelves (retrofitable to PAGODE° MKII only)

- Retrofittable single-layer shelf for PAGODE° 600/750/1120 MKII (standard or Heavy-Duty)
- Single honeycomb core w/ carbon fibre layers all-round
- Thickness 18 mm (standard) or 23 mm (Heavy-Duty) / two sizes available
- 1120 MKII series requires 2 pcs. CF600 or CF600HD shelves per level



MODELLO	Article	
CF600	CARBOFIBRE° 600 standard - 515 x 465 x 18 mm	€ 1.690,00
CF600HD	CARBOFIBRE° 600 Heavy-Duty - 515 x 465 x 23 mm	€ 1.890,00
CF750	CARBOFIBRE° 750 standard - 665 x 465 x 18 mm	€ 1.990,00
CF750HD	CARBOFIBRE° 750 Heavy-Duty - 665 x 465 x 23 mm	€ 2.190,00



PAGODE° Signature MK II

- Finish: Canadian maple wood in seven colours - natural maple (P01), walnut (P02), makassar (P03), palisander (P04), cherry (P05), pearl white (P06) + pearl black (P07)
- Aluminum side pillars w/ wood-decor trim bars + logo insert silver-grey matt-anodized
- **Lightweight resonance-damped HCCT° honeycomb core shelves**
- Stainless-steel floor spikes with integrated floor protection plates



PAGODE° Signature MK II - Racks

(useable area WxD: upper levels 550 x 500 mm / bottom level 590 x 540 mm) – standard rack price

Mod. E12 60cm High – 3 Levels NATURAL MAPLE (P01)	€ 4.350,00
Mod. E12/45 45cm High – 3 Levels pearl black (P07)	€ 4.230,00
Mod. E13/70 70 cm high – 4 levels makassar (P03)	€ 5.400,00

PAGODE° Signature MK II – power amplifier platform

- Finish: Canadian maple wood in seven colours - natural maple (P01), walnut (P02), makassar (P03), palisander (P04), cherry (P05), pearl white (P06) + pearl black (P07)
- Aluminum logo insert silver-grey matt-anodized
- **Lightweight resonance-damped HCCT° honeycomb core platform**
- Stainless-steel floor spikes with integrated floor protection plates



Power Amplifier Platform Mod. E21-Q NATURAL MAPLE (P01) - Platform Q (590x540 mm)	€ 1.490,00
Power Amplifier Platform Mod. E21-L makassar (P03) - Platform L (540x590 mm)	€ 1.490,00

PAGODE° Master Reference MK II – power amplifier platform

- Finish: Canadian maple wood in seven colours - natural maple (P01), walnut (P02), makassar (P03), palisander (P04), cherry (P05), pearl white (P06) + pearl black (P07)
- **Resonance-controlled 18 mm honeycomb core shelf w/ ceramic ball coupling**
- Stainless-steel floor spikes with integrated floor protection plates



Platform 640 MR (usable area 515x465 mm) HD09 MR	€ 2.390,00
Platform 790 MR (usable area 665x465 mm) HD10 MR	€ 2.990,00

PAGODE° Edition MK II – power amplifier platform

- Finish: Canadian maple wood in seven colours - natural maple (P01), walnut (P02), makassar (P03), palisander (P04), cherry (P05), pearl white (P06) + pearl black (P07)
- **Resonance-controlled 18 mm honeycomb core shelf w/ ceramic ball coupling**
- Stainless-steel floor spikes with integrated floor protection plate



Platform 640-L (usable area lengthwise 465 x 515 mm) HD09 ED-L	€ 2.990,00
Platform 640-Q (usable area crosswise 515 x 465 mm) HD09 ED-Q	€ 2.990,00
Platform 790-L (usable area lengthwise 465 x 665 mm) HD10 ED-L	€ 3.590,00
Platform 790-Q (usable area crosswise 665 x 465 mm) HD10 ED-Q	€ 3.590,00

PAGODE° MKII CARBON Edition – power amplifier platform

- Finish: **CARBON** clad solid Canadian maple platform frame (colour code: **P08 carbon**)
- Resonance-damped 18 mm **Carbofibre°** shelf w/ ceramic ball coupling
- Metal logo insert silver-grey anodized
- **CERABASE° compact** interface feet as standard



Platform 640-L (usable area lengthwise 465 x 515 mm) HD09 ED-L	€ 6.600,00
Platform 640-Q (usable area crosswise 515 x 465 mm) HD09 ED-Q	€ 6.600,00
Platform 790-L (usable area lengthwise 465 x 665 mm) HD10 ED-L	€ 7.700,00
Platform 790-Q (usable area crosswise 665 x 465 mm) HD10 ED-Q	€ 7.700,00

GigaWatt®

POWER CONDITIONER			
POWERMASTER	Flagship Model. 12 outputs. DC Blocker, Distribution bars - silvered OFC 90 QMM, Multipoint PCB terminals, Ground noise filtering system.	Con cavo LS-2 EVO	€ 24.660,00
PC-4 EVO+ ver. 24	Reference Model. 12 outputs. DC Blocker. Distribution bars - silvered OFC 45 QMM. Internal wiring - silvered OFHC 4 QMM.	Con cavo LS-2 EVO	€ 13.850,00
		Con cavo LS-1 EVO+	€ 12.650,00
		Con cavo PowerSync ULTRA	€ 11.750,00
PC-3 SE EVO+	6 outputs. DC Blocker. Distribution bars - silvered OFC 30 QMM. Internal wiring - silvered OFC 4 QMM.	Con cavo LS-2 EVO	€ 10.200,00
		Con cavo LS-1 EVO+	€ 8.945,00
		Con cavo PowerSync ULTRA	€ 8.000,00
		Con cavo LC-2 EVO	€ 7.495,00
PC-3 EVO+	6 outputs. DC Blocker. Distribution bars - OFC 30 QMM. Internal wiring - silvered OFHC 4 QMM.	Con cavo LS-1 EVO+	€ 7.450,00
		Con cavo PowerSync ULTRA	€ 6.550,00
		Con cavo LC-2 EVO	€ 6.070,00
		Con cavo PowerSync PLUS	€ 5.890,00
PC-2 EVO+	6 outputs. DC Blocker. Distribution bars - OFC 30 QMM. Internal wiring - OFHC 2,5 QMM.	Con cavo LS-1 EVO+	€ 6.260,00
		Con cavo PowerSync ULTRA	€ 5.335,00
		Con cavo LC-2 EVO	€ 4.830,00
		Con cavo PowerSync PLUS	€ 4.665,00
POWERCONTROL	12 outputs. DC Blocker, Distribution bars OFC 30 QMM. Internal wiring OFHC 4,0 QMM. RL Filtering Block. 16A Relay.	Con cavo LS-1 EVO+	€ 7.730,00
		Con cavo PowerSync ULTRA	€ 6.850,00
		Con cavo LC-2 EVO	€ 6.380,00
		Con cavo PowerSync PLUS	€ 6.230,00
POWERPRIME	6 outputs. DC Blocker, Distribution bars OFC 30 QMM. Internal wiring OFHC 4,0 QMM. RLC Filtering Block. 16A Relay	Con cavo PowerSync ULTRA	€ 3.730,00
		Con cavo LC-2 EVO	€ 3.280,00
		Con cavo PowerSync PLUS	€ 3.130,00

POWER STRIPS			
PF-2 EVO+	6 outputs. Metal Shielded Chassis. Distribution bars - OFC 30 QMM. Internal wiring - GigaWatt Powerlink OFHC 4 QMM. Advanced RLC filtering block. Iron Powder Filtering Cores. LED indicators of proper work and polarization.	Con cavo PowerSync ULTRA	€ 2.100,00
		Con cavo LC-2 EVO	€ 1.570,00
		Con cavo PowerSync PLUS	€ 1.410,00
		Con cavo PowerSync	€ 1.295,00
PF-1 EVO+	6 outputs. Metal Shielded Chassis. Distribution bars - OFC 30 QMM. Internal wiring. OFHC 4 QMM. Iron Powder Filtering Cores. LED.	Con cavo LC-2 EVO	€ 970,00
		Con cavo PowerSync PLUS	€ 795,00
		Con cavo PowerSync	€ 695,00
PF-1e	6 outputs. Metal Shielded Chassis. Internal wiring - OFHC 2,5 QMM. Iron Powder Filtering Cores.	Con cavo PowerSync PLUS	€ 635,00
		Con cavo PowerSync	€ 530,00
		SENZA CAVO	€ 370,00

POWER CORDS			
LS-2 EVO	Silver plated OFHC, solid-core, twisted conductors. FEP dielectric, Multi Layer PVC external isolation. Copper shielding. SE version Loss-free Nano-crystal Aloys Passive Filter. G-050 SM/G-070 SM Metal Body, Rhodium Plated Plugs.	1,5 MT	€ 3.490,00
		next 0,5 mt	€ 1.190,00
LS-1 EVO+	Silver plated OFHC, solid-core, twisted conductors. FEP dielectric, Multi Layer PVC external isolation. Copper shielding. Loss-free Nano-crystal Aloys Passive Filter. G-015 SM/G-035 Metal Body, Rhodium Plated Plugs.	1,5 MT	€ 2.100,00
		next 0,5 mt	€ 690,00
PowerSync ULTRA	8x 1,6 QMM. OFHC multistrand (7 leads) conductors. PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-050SM/G-070SM Metal Body, Rhodium Plated Plugs.	1,5 MT	€ 1.125,00
		next 0,5 mt	€ 205,00
LC-2 EVO	7 x 1,5 QMM. OFHC solid-core conductors. PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-010/G-030 Rhodium Plated Plugs.	1,5 MT	€ 550,00
		1,0 MT	€ 505,00
		next 0,5 mt	€ 100,00
PowerSync PLUS	3x2,5 QMM. OFHC multistrand (12 strands per lead). PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-010/G-030 Standard Plugs.	1,5 MT	€ 375,00
		1,0 MT	€ 330,00
		next 0,5 mt	€ 65,00
PowerSync	3x2,0 QMM. OFHC multistrand (10 strands per lead). PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-010/G-030 Standard Plugs	1,5 MT	€ 250,00
		1,0 MT	€ 229,00
		next 0,5 mt	€ 45,00

ACCESSORI	
G-040 SCHUKO for Assembly	€ 33,00
G-044 SCHUKO Wall Socket	€ 129,00
G-044 Duplex SCHUKO Wall Socket	€ 199,00
IEC320-C5 / IEC320-C7 Plug Adapter	€ 33,00
LC-Y EVO 3X4 In-Wall Cable (1 meter)	€ 35,00
Power Sync Power Supply cable (1 meter)	€ 45,00
G-16A Installation Circuit Breaker	€ 178,00
G-16A 2P 2-Pole Installation Circuit Breaker	€ 370,00
Rolling-Ball Isolation System Anti-Vibration Feet 4 pcs set in a Wooden Box	€ 699,00
Full Ceramic Isolation System Anti-Vibration Feet 4 pcs set in a Wooden Box	€ 1.290,00
OPTION Customized LED display color	€ 90,00
OPTION Rolling-Ball Isolation System Anti-Vibration Feet for PC conditioners	€ 585,00



STREAM Series Music Streamers | Servers

MODELLO	COLORE	OPTIONAL	PREZZO
STREAM 1 Streamer e server entry-level, con archiviazione SSD accessibile all'utente e regolazione dell'alimentazione CX di alta qualità per supportare una gamma di moduli di uscita specializzati per massimizzare la qualità del suono. Disponibile l'aggiornamento opzionale del componente aggiuntivo LPS1.  - Custom mainboard, 13th gen Intel Quad-Core CPU. 8GB DDR5 Industrial-Grade RAM - USB-C, 3 x USB A 3.2, Bridged 2.5Gb Ethernet ports - User-accessible M2 NVMe SSD storage (slot used if ordered with factory-fitted storage) - Optional Modular Output Boards: Standard DAC, Performance DAC, SPDIF and PhoenixUSB Board.	Disponibile solo Black	No Storage No Modular Output Board	€ 2.250,00
LPS 1 (BUNDLE OPTION) Optional Linear Power Supply upgrade for Stream1 offering improved sound quality in matching chassis  - 150VA toroidal transformer, Mundorf capacitor bank - Dual power outputs: 1 x 19v output for Stream1, 1 x 5v for accessories. - Grounding port (chassis, 4mm socket). Backwards compatible with ZENmini Mk3 and PULSEmini.	Disponibile solo Black	Ordered separately	€ 1.150,00
		Bundled with Stream1 Save 20%	€ 920,00
STREAM 3 An enthusiast-level streamer and server, benefitting from premium chassis and high-level linear power supply using AR6-CX technology. Modular storage and output design, supporting the full range of modules including high-end DAC and Digital solutions. Stream3 takes the same mainboard platform of Stream1 but with further improvements.  - Premium 10mm CNC-machined Aluminium chassis - 300VA transformer and AR6-CX module combining 132,000uf Mundorf capacitance, active rectification and CX regulation on single board - Able to facilitate high-end PhoenixDAC module and onboard dedicated PSU - User-accessible M2 NVMe SSD storage (slot used if ordered with factory-fitted storage) - Optional Modular Output Boards: Standard DAC, Performance DAC, PhoenixDAC, SPDIF Board, PhoenixUSB Board and PhoenixI2S Board.	Disponibile Black e Silver	No Storage No Modular Output Board	€ 5.800,00

ZEN Next-Gen Series Music Streamers | Servers

MODELLO

COLORE

OPTIONAL

PREZZO

ZEN Next-Gen A revelation in sound, performance and flexibility, the ZEN Next-Gen series is a high-end range of modular music servers and streamers benefitting from premium NGaN power regulation, heavily tuned PreciseAudio board, AudioCore technology with high-performance CPU & RAM and more.  - i3, TLC OS SSD, RECAP6 NGaN PSU, 150VA Toroidal PreciseAudio Mainboard, 16GB DDR4 RAM, Expandable Storage System, 10mm Aluminium Chassis, Sense 3 AudioCore & RTK technology - PCI-E NVme internal SSD in 2TB, 4TB, or 8TB options. 16TB option occupies both internal and secondary user-accessible storage bay - Optional Modular Output Boards: SPDIF Board, PhoenixUSB Board and PhoenixI2S Board.	Disponibile Black e Silver	No Storage No Modular Output Board	€ 9.900,00
ZENith Next-Gen Improves on ZEN Next-Gen with superior Power Supply, Processor and OS SSD designs for a breathtaking level of performance and definition.  - i7, pSLC OS SSD, ARC6 NGaN PSU, 300VA Toroidal Transformer, PreciseAudio Mainboard, 16GB DDR4 RAM, Expandable Storage System, 10mm Aluminium Chassis, Sense 3 AudioCore & RTK technology - PCI-E NVme internal SSD in 2TB, 4TB, or 8TB options. 16TB option occupies both internal and secondary user-accessible storage bay - Optional Modular Output Boards: SPDIF Board, PhoenixUSB Board and PhoenixI2S Board.	Disponibile Black e Silver	No Storage No Modular Output Board	€ 15.600,00

Compatible Modular Options					
Storage (M2 NVMe SSD)	STREAM 1	STREAM 3	ZEN Next-Gen	ZENith Next-Gen	
2TB	☐	☐	☐	☐	€ 370,00
4TB	☐	☐	☐	☐	€ 690,00
8TB	☐	☐	☐	☐	€ 1.195,00
16TB (8TB SSD Internal + 8TB SSD External)	☐	☐	☐	☐	€ 3.900,00
Output Boards					
Analog Outputs					
Standard DAC Board 1 x RCA (Unbalanced), 1 x Coaxial, 1 x Optical (All with 24bit/192KHz maximum resolution)	☐	☐	☐	☐	€ 500,00
Performance DAC Board 1 x RCA (Unbalanced): Latest AKM Chip & High-Grade TCXO Clocks	☐	☐	☐	☐	€ 1.150,00
PhoenixDAC Board 1 x RCA (Unbalanced), 1 x XLR (Balanced): Dual-Mono AKM Chips, OCXO & FemtoClocks, Dedicated PSU	☐	☐	☐	☐	Coming soon!
Digital Outputs (*)have different versions for STREAM and ZEN Next-Gen Series. When ordering, please indicate in which model you want to use them.					
SPDIF Board 1 x AES, 1 x Coaxial, 1 x Optical (All with 24bit/192KHz maximum resolution)	☐	☐	☐	☐	€ 650,00
PhoenixUSB Board 3ppb 24MHz OCXO USB 2.0 Reclocker	☐	☐	☐	☐	€ 1.200,00
PhoenixI2S Board 3ppb 24MHz OCXO & 2 x FemtoClocks (HDMI)	☐	☐	☐	☐	€ 1.700,00

STATEMENT Music Streamers | Servers

MODELLO

COLORE

OPTIONAL

PREZZO

STATEMENT Next-Gen Our flagship server, designed to take Digital Audio to a new level of performance. A state-of-the-art source for the most discerning audiophiles.  - 10mm CNC-machined aluminium chassis - Custom mainboard exclusively designed for Innuos - 8GB RAM with 4GB In-Memory Playback - EMI-optimised motherboard exclusively designed for Innuos - Quad-core Intel Processor - Custom Ethernet and USB Reclockers with 3ppb OCXO clocks - Asymmetrical isolation feet - Custom ARC6 AC/DC modules with high-precision - Active Rectifier board, 10mH DC Choke and 4 times the capacitance - Significantly lower PSU impedance - All rails using Audio Note KAISEI capacitors - Boosted CPU current - New Adaptive Vibration Control platform using Panzerholz wood.	Disponibile Black e Silver	1TB SDD	€ 20.000,00	
		2TB SDD	€ 20.300,00	
		4TB SDD	€ 20.900,00	
		8TB SDD	€ 22.100,00	
Umbilical Cords Upgrade For STATEMENT Series Music Servers  Longer length umbilical cords for connection between STATEMENT's main unit and PSU. Useful for racks that can't accommodate the combined stack height of main unit + PSU.	BUNDLE OPTION	0,5 m (coppia)	Ordered separately	€ 1.400,00
			Bundled with STATEMENT Next-Gen Save 20%	€ 1.120,00
		1 m (coppia)	Ordered separately	€ 1.500,00
			Bundled with STATEMENT Next-Gen Save 20%	€ 1.200,00
		1,5 m (coppia)	Ordered separately	€ 1.600,00
			Bundled with STATEMENT Next-Gen Save 20%	€ 1.280,00

PHOENIX Series Reclocker and Network Switch

PhoenixUSB Bundle option The PhoenixUSB regenerates and reclocks the USB signal to an extremely high-precision level to feed into your DAC.  - Two independent Linear PSU with Mundorf capacitors - 3ppb OCXO clock running at 24MHz - No switching regulators on USB chip. Voltages to the chip originate from independent linear power and LT3045 regulators.	Disponibile Black e Silver	Ordered separately	€ 3.600,00
		Bundled with Stream or ZEN Next-Gen Series or STATEMENT Next-Gen Save 20%	€ 2.880,00
PhoenixNET Bundle option Audiophile Network Switch designed from the ground-up for audio.  - Two independent Linear PSU with Mundorf capacitors - 3ppb OCXO clock running at 25MHz - No switching regulators in network chip. Voltages to the chip originate from independent linear power - Network Isolation Transformers for noise isolation from router.	Disponibile Black e Silver	Ordered separately	€ 3.600,00
		Bundled with Stream or ZEN Next-Gen Series or STATEMENT Next-Gen Save 20%	€ 2.880,00



Kii SEVEN - Wireless Speaker System (NEW)

Apple AirPlay, Bluetooth, Room Ready, DANTE, Kii HOME Multiroom, Kii CONTROL App Spotify Connect*, Tidal Connect*, Qobuz Connect*, (*) Software streaming services „Connect“ features available through update in 2025

COLORI DISPONIBILI - FineTouch White - FineTouch Dark Grey

Kii SEVEN System 2 x Kii SEVEN - 1 x Kii CONTROL - including all necessary cables	€ 9.900,00
Kii SEVEN Solo Speaker	€ 4.600,00
Coppia STAND SEVEN RAL 9005 powdercoated 70 cm	€ 950,00

Kii THREE - DSP controlled Active Compact Speaker

System 2 x Kii THREE - 1 x Kii CONTROL - including all necessary cables

Standard Colors

FineTouch White - FineTouch Dark Grey

Kii THREE System incl. Kii CONTROL in matching color	€ 16.900,00
Kii THREE Single Speaker	€ 7.900,00

Premium Colors

Iced Bronze Metallic - Azzurro High Gloss - Spring Green - Nardo Grey High Gloss - Tempranillo Red Metallic - Phoenix Orange Metallic - Iced Green Metallic - Rosso Corsa High Gloss - Iced Titanium Metallic - Iced Sapphire Metallic - Graphite Satin Metallic - High Gloss White

Kii THREE System incl. Kii CONTROL in matching color	€ 17.900,00
Kii THREE Single Speaker	€ 8.600,00

Kii THREE BXT - DSP controlled Active floorstanding Speaker System 2 x Kii THREE - 2 x BXT

Module - 1 x Kii CONTROL - including all necessary cables

Standard Colors

FineTouch White - FineTouch Dark Grey

Kii THREE BXT System incl. Kii CONTROL in matching color	€ 33.900,00
Kii BXT Single Speaker module	€ 8.900,00

Premium Colors

Iced Bronze Metallic - Azzurro High Gloss - Spring Green - Nardo Grey High Gloss - Tempranillo Red Metallic - Phoenix Orange Metallic - Iced Green Metallic - Rosso Corsa High Gloss - Iced Titanium Metallic - Iced Sapphire Metallic - Graphite Satin Metallic - High Gloss White

Kii THREE BXT System incl. Kii CONTROL in matching color	€ 36.900,00
Kii BXT Single Speaker module	€ 9.390,00

ACCESSORI

Coppia STAND BLACK 70 cm cp RAL 9016 powdercoated	€ 1.740,00
Coppia STAND WHITE 70 cm cp RAL 9016 powdercoated	€ 1.740,00
Coppia STAND 0°-30° Tilt angle - Rotation angle 128° al pezzo	€ 340,00




LANSCHÉ
AUDIO

3.2	2½-way speaker, bass reflex, 92 dB, 8 ohm	€ 25.200,00
5.2	3-way speaker, bass reflex, 87 dB, 8 ohm	€ 38.850,00
7.2	3-way speaker, bass reflex, 90 dB, 4 ohm	€ 65.000,00
8.3	Caratteristiche coming soon!	Su richiesta
9.2 Primius	3-way speaker, bass reflex, 93 dB, 4 ohm	Su richiesta
New 3.2 MK II ACTIVE (diffusori attivi)		€ 30.000,00


Tutti i modelli Lansche Audio sono disponibili in finitura bianca, nera, makassar laccata oppure high gloss con indicazione del codice RAL del colore preferito.




No.3.2



No.5.2



No.7.2



No.9.2



Delos	stereo 0.6mV output – sostituisce Dorian e Argo	€ 1.780,00
nuovo angolo, nuovo sistema damper		
ricostruzione /cambio con uno stesso modello		€ 1.380,00
upgrade da altro modello di livello inferiore		€ 1.510,00
Kleos	stereo 0.5mV output – sostituisce Helikon	€ 3.450,00
nuovo angolo, nuovo sistema damper, ogura boron cantilever, lyra original stylus, materiali avanzati		
ricostruzione /cambio		€ 2.290,00
upgrade da altro modello		€ 3.100,00
Kleos mono		€ 3.850,00
Kleos SL (0.25mV output)		€ 3.850,00
Etna Lamba		€ 8.500,00
diamond coated boron cantilever, corpo in titanio - - - testina MC – nuova sospensione migliorata		
Ricostruzione /cambio		€ 4.300,00
upgrade dagli altri modelli Lyra		€ 7.500,00
Etna SL Lamba		€ 9.500,00
Etna mono Lamba		€ 9.500,00
Atlas Lamba		€ 11.200,00
ricostruzione /cambio		€ 7.800,00
upgrade dagli altri modelli Lyra		€ 9.700,00
Atlas SL Lamba		€ 12.300,00
Phono Pipe	straight cable 1.3 mt	€ 1.920,00
	RCA-RCA 1.3 mt	€ 1.920,00
spt	liquido	€ 77,00

Nota Bene

Etna, Etna SL, Etna Mono, Atlas, Atlas SL, Atlas Mono costruite dopo agosto 2019 sono della linea “Lambda”

Una testina non-Lambda Etna o Atlas che necessitano piccole riparazioni, NON diventeranno “Lambda”. Tuttavia una Etna o Atlas che saranno ricostruite/cambiate diventeranno “Lambda”



Musical Surroundings

<i>Phonomena III</i>	<i>preamp phono dispo BK e SL</i>	<i>€ 1.350,00</i>
<i>Linear Charging Power Supply</i>	<i>dedicato ai modelli Nova III, Phonomena II+ e Nova III BK e SL</i>	<i>€ 1.250,00</i>
<i>Fozgometer V2</i>	<i>É dotato di un misuratore più sensibile per eseguire misurazioni ancora più accurate, un display più facile da leggere e la possibilità di utilizzare un alimentatore esterno incluso o una batteria da 9 V.</i>	<i>€ 499,00</i>
<i>LP</i>	<i>Dedicato al Fozgometer V2</i>	<i>€ 58,00</i>

novaudio

Classic Eight	cp. diffusori da stand, cassa chiusa, 2 vie, 8 ohm, woofer da 8", disponibile in 8 differenti essenze lignee	€ 3.950,00
Stage	cp. diffusori da pavimento, cassa chiusa, 2 vie, 8 ohm, woofer da 8", disponibili in 8 differenti essenze lignee	€ 6.950,00
Classic Eight stands	cp. piedistalli espressamente dedicati per i diffusori Classic Eight	€ 790,00



Olive



Walnut




Wengé



Zebrano



Flamed ebony




Black ebony



Rosewood


RIVIERA

AIC10Bal Headphone Integrated Amplifier	AO-HD (Aural Optimized Hybrid Design) Circuit - Pure Class "A", Zero Feedback, Hybrid - 1 Bal + 2 Unbal line inputs - Bal + ¼ inch unbal headphone connectors - Switchable loudspeakers / high eff / low eff headphone output - Volume Remote Control - Power (speaker output) 2x36W/2 Ohm 2x20W/4 Ohm 2x10W/8 Ohm Class "A" - Dynamic headroom > 3dB. Dimensions: 260x435*145h mm. Weight: 14.4 Kg	€ 21.160,00
LEVANTE Integrated Amplifier	AO-HD (Aural Optimized Hybrid Design) Circuit - Class "A" / AB, Zero Feedback, Hybrid - 1 Bal + 4 Unbal inputs - Optional phono board - Volume Remote Control - Switchable power control Class "A" 2x30W/8 Ohm 2x60W/4 Ohm, Class A/B 2x120W/8 Ohm 2x200/4 Ohm. Dimensions: 440x490*195h mm. Weight: 32 Kg	€ 24.520,00
PH1 LEVANTE	Optional MM Phono Board Kit Needs to be installed by an authorized technician.	€ 2.745,00
LEVANTE Integrated Amplifier + PH1	As LEVANTE - Integrated Amplifier with factory fitted PHI MM Phono Board.	€ 27.630,00
APL01SE Special Edition Tube Line Preamplifier	AO-D (Aural Optimized Design) Circuit - Class "A", Zero Feedback - All tube circuit - Transformer coupled outputs (all) - 2 Transformer coupled bal + 6 unbal inputs – 2 pair of bal + 2 pair of unbal outputs - Separate L-R Balance controls - Tape Loop - Mono/Stereo/Rev switch - Volume Remote Control. Dimensions: 440x490x195h mm. Weight: 27 Kg	€ 54.900,00
APL1 Tube Line Preamplifier	AO-D (Aural Optimized Design) Circuit - Zero Feedback - Class "A" - All tube circuit - Double PI-filter, stabilized power supply - 2 Bal inputs (transformer coupled) – 3 Unbal inputs - Tape Loop - Output transformers - 1 pair of bal + 2 pair of unbal outputs - Stepped re Balance control - Volume Remote Control. Dimensions: 440x450x164h mm. Weight: 21 Kg	€ 27.450,00
APL10 Tube Line Preamplifier	AO-D (Aural Optimized Design) Circuit - Class "A", Zero Feedback - All tube circuit - 1 Bal + 3 Unbal inputs - PI-filter, stabilized power supply - 2 Unbal outputs - Stepped re Balance control - Volume Remote Control. Dimensions: 260x435x145h mm. Weight: 12 Kg	€ 19.520,00
AFM100SE Special Edition Mono Power Amplifier	AO-HD (Aural Optimized Hybrid Design) Circuit - Pure Class "A", Zero Feedback, Hybrid (Triode, BJT, Mosfet) - 1 True Bal + 1 Unbal inputs (transformer coupled); Inductive PI-filter power supply - Power 360W / 2 Ohm 200W / 4 Ohm 100W / 8 Ohm Pure Class "A". Dimensions: 260x585x275h mm. Weight: 35 Kg	la coppia € 87.840,00
AFM70 Mono Power Amplifier	AO-HD (Aural Optimized Hybrid Design) Circuit - Pure Class "A", Zero Feedback, Hybrid (Triode, BJT, Mosfet) - 1 True Bal + 1 Unbal inputs (transformer coupled); Inductive PI-filter power supply - Power: 140W / 4 Ohm, 70W / 8 Ohm Pure Class "A". Dimensions: 340x490x195h mm. Weight: 30 Kg	la coppia € 62.220,00
AFM50 Mono Power Amplifier	AO-HD (Aural Optimized Hybrid Design) Circuit - Pure Class "A", Zero Feedback, Hybrid (Triode, BJT, Mosfet) - 1 True Bal + 1 Unbal inputs (transformer coupled); Inductive PI-filter power supply - Power: 180W / 2 Ohm, 100W / 4 Ohm, 50W / 8 Ohm Pure Class "A". Dimensions: 260x435x275h mm. Weight: 22,5 Kg	la coppia € 56.120,00
AFM25 Mono Power Amplifier	AO-HD (Aural Optimized Hybrid Design) Circuit - Pure Class "A", Zero Feedback, Hybrid (Triode, BJT, Mosfet) - 1 True Bal + 1 Unbal inputs (transformer coupled); Inductive PI-filter power supply - Power: 100W/2 Ohm 50W/4 Ohm 25W/8 Ohm Pure Class "A". Dimensions: 260x435x145h mm. Weight: 14,4 Kg	la coppia € 37.820,00
AFS32 Stereo Power Amplifier	AO-D (Aural Optimized Design) Circuit - Pure Class "A", Zero Feedback, Hybrid (Triode, BJT, Mosfet) - 2 RCA Unbalanced inputs - 2 XLR Balanced inputs (true balanced) - Power 2x64W / 4 Ohm 2x32W / 8 Ohm Pure Class "A". Dimensions: 440x490x195h mm. Weight: 32 Kg	€ 29.280,00

RPC01 Power Cord	Especially designed to enhance audio performance of all Riviera electronics - 1.5 meter - Schuko and VDE solid copper termination - US Plug optional - Suitable for any high-end electronic.	€ 1.950,00
All products are available in Gold or Dark Titanium finish Gold: Glossy sand color; knobs, buttons and feet: 24K mirror gold. Dark Titanium: Matte dark titanium gray; knobs, buttons and feet: matte aluminum.		 

SuperHUB	Multifunctional streamer (BK o SL)	€ 3.500,00
SuperVOX	Multibit DSD DAC (BK o SL)	€ 3.500,00
SuperHEAD	Headphone amplifier (BK o SL)	Arrivo fine 2025

ROCKNA


Wavedream Reference Signature	R2R DAC/Renderer 	€ 26.950,00
Wavedream Reference	R2R DAC/Renderer 	€ 17.450,00
Wavedream Edition	R2R DAC 	€ 10.600,00
Wavelight	R2R DAC 	€ 6.280,00

Wavelight Server 2 TB	Server/Renderer 	€ 6.280,00
Wavelight Server 4 TB		€ 6.750,00
Wavelight Server 8 TB		€ 7.250,00
Wavelight Server 16 TB		€ 8.350,00


Wavedream NET 2TB	Server/CD transport 	€ 9.670,00
Wavedream NET 4TB		€ 9.800,00
Wavedream NET 8TB		€ 10.175,00


rossofiorentino

ENTRY LEVEL

	ELBA serie 2 2.5-way rear-ported floorstanding system Sensitivity: 88 dBspl (2.83V/1m) - Nominal imp.: 4 ohm Recommended amp. power: 50-200Watt Freq. response (-3dB): 40 Hz - 30 kHz Dimensions (HxWxD): 105 x 23.6x 29 cm - 27 Kg	Black - front and side panels: striped black leather	€ 5.850,00
		Walnut - front panel: striped black leather, side panels: Natural Matt Walnut	
		Premium Leather (side panels only)	€ 6.360,00
		Premium Leather (front + side panels)	€ 6.860,00


PRESTIGE SERIES

	PIENZA serie 2 2-way rear-ported stand mounted Sensitivity: 86 dBspl (2.83V/1m) Nominal imp.: 8 ohm (min 5 ohm) Recommended amp. power: 50-200Watt Freq. response (-3dB): 55 Hz - 30 kHz Dimensions (HxWxD): 34 x 19.5 x 26.2 cm - 10 Kg	High Gloss Black oppure Satin Natural Walnut	€ 4.200,00
		Premium Leather Oppure Custom High-Gloss or Satin Color	€ 4.580,00
		Carbon Fibe	€ 4.950,00
	Stand dedicato S-P2	standard (leather front cover)	€ 1.100,00
		carbon fiber (front cover)	€ 1.470,00

	CERTALDO serie 2 2.5-way rear/bottom-ported floorstanding system Sensitivity: 88 dBspl (2.83V/1m) Nominal imp.: 8 ohm (min 5 ohm) Recommended amp. power: 50-150Watt Freq. response (-3dB): 40 Hz - 30 kHz Dimensions (HxWxD): 107.5 x 24 x 30.5 cm incl. Base - 28 Kg	High Gloss Black o Satin Natural Walnut	€ 7.860,00
		Premium Leather o Custom High-Gloss or Satin Color	€ 8.570,00
		Carbon Fiber	€ 8.820,00


ARNO SERIES

	ARNO 20 2-way rear-ported stand mounted Sensitivity: 86 dBspl (2.83V/1m) Nominal imp.: 8 ohm (min 4 ohm) Recommended amp. power: 50-200Watt Freq. response (-3dB): 45 Hz - 25 kHz Dimensions (HxWxD): 41.2 x 22 x 34.2 cm (16.2 x 8.6 x 13.5 in) Weight: 15 Kg (33 lb) each	High Gloss Black o Satin Natural Walnut	€ 5.500,00
		Premium Leather o Custom High-Gloss or Satin Color	€ 5.980,00
		Carbon Fiber	€ 6.650,00
	S- A20 STAND DEDICATO PER ARNO 20	Pannello frontale in pelle	€ 1.300,00
		Pannello frontale Carbon Fiber	€ 1.750,00

	ARNO 40 2.5-way rear/bottom-ported floorstanding system Sensitivity: 89 dBSpl (2.83V/1m) Nominal imp.: 6 ohm (min 5 ohm) Recommended amp. power: 30-200 Watt Freq. response (-3dB): 40 Hz - 25 kHz Dimensions (HxWxD): 112.5x25x38cm incl. base and spikes - 37 Kg	High Gloss Black o Satin Natural Walnut	€ 12.000,00
		Premium Leather o Custom High-Gloss or Satin Color	€ 13.050,00
		Carbon Fiber	€ 13.620,00

FLAGSHIP SERIES

	SIENA S2 3-way close box floorstanding system Sensitivity: 87 dBSpl (2.83V/1m) Nominal imp.: 6 ohm (min 4.4 ohm) Recommended amp. power: 100-300 Watt Freq. response (-3dB): 35 Hz - 100kHz Dimensions (HxWxD): 120 x 41.5 x 46 cm - 68 Kg	Custom High-Gloss or Satin Color o Premium Leather	€ 32.000,00
--	---	--	-------------

	FLORENTIA semi-active 4-way close box / dipole floorstanding system Sensitivity: 89 dBSpl (2.83V/1m) Nominal impedance: 4 ohm Recommended amp. power: 100-400 Watt Freq. response (-3dB): 20 Hz - 100kHz Dimensions (HxWxD): 183 x 65 x 70 cm - 164 Kg	Premium Leather o Custom High-Gloss or Satin Color	€ 107.000,00
		Carbon Fiber	€ 112.700,00



SERIE REFERENCE STANDARD

DMC 30 SV S2	Super Veloce Reference	€ 36.900,00
DMA 300 SV	Reference Standard Stereo 225W	€ 42.900,00
DMA 400 SV	Reference Standard Mono SUPERVELOCE 350W	€ 62.900,00
DMA 500 SV	Reference Standard Mono	€ 69.900,00



AURORA - diffusori progettati da AVALON + SPECTRAL € 79.900,00



L'utilizzo di questi cavi è fortemente consigliato per riuscire ad ottenere il meglio dalla tecnologia Spectral Audio.

UL 230 Ultralinear Series III - Interconnessione

UL230I-1	lunghezza 1 mt la coppia	€ 2.100,00
UL230I-1,5	lunghezza 1,5 mt la coppia	€ 2.180,00
UL230I-2	lunghezza 2 mt la coppia	€ 2.240,00
UL230I-3	lunghezza 3 mt la coppia	€ 2.350,00

UL 350 Ultralinear Series III - migliora la trasparenza e l'immagine musicale rispetto all UL 230

UL350I-1	lunghezza 1 mt la coppia	€ 4.365,00
UL350I-1,5	lunghezza 1,5 mt la coppia	€ 4.440,00
UL350I-2	lunghezza 2 mt la coppia	€ 4.500,00
UL350I-3	lunghezza 3 mt la coppia	€ 4.660,00



UL 38 HD Ultralinear Series III - SPEAKER

ULHD38S-8	lunghezza 8 piedi la coppia	€ 4.365,00
ULHD38S-10	lunghezza 10 piedi la coppia	€ 4.550,00
ULHD38S-12	lunghezza 12 piedi la coppia	€ 4.745,00
ULHD38S-15	lunghezza 15 piedi la coppia	€ 5.025,00

UL 60 HD Ultralinear Serie III - migliora la tridimensionalità della scena musicale rispetto all UL38HD

ULHD60S-8	lunghezza 8 piedi la coppia	€ 7.585,00
ULHD60S-10	lunghezza 10 piedi la coppia	€ 7.855,00
ULHD60S-12	lunghezza 12 piedi la coppia	€ 8.125,00
ULHD60S-15	lunghezza 15 piedi la coppia	€ 8.525,00

2CD3D ULTRALINEAR INTERCONNESSIONE RCA

LEVEL 1

2CD3DUL1RCA-1	lunghezza 1 mt la coppia	€ 8.100,00
2CD3DUL1RCA-1.5	lunghezza 1,5 mt la coppia	€ 8.400,00
2CD3DUL1RCA-2	lunghezza 2 mt la coppia	€ 8.700,00
2CD3DUL1RCA-3	lunghezza 3 mt la coppia	€ 9.300,00
	COSTO ADDIZIONALE PER MT	€ 600,00

LEVEL 2

2CD3DUL2RCA-1	lunghezza 1 mt la coppia	€ 6.000,00
2CD3DUL2RCA-1.5	lunghezza 1,5 mt la coppia	€ 6.250,00
2CD3DUL2RCA-2	lunghezza 2 mt la coppia	€ 6.500,00
2CD3DUL2RCA-3	lunghezza 3 mt la coppia	€ 7.000,00
	COSTO ADDIZIONALE PER MT	€ 500,00

LEVEL 3

2CD3DUL3RCA-1	lunghezza 1 mt la coppia	€ 4.290,00
2CD3DUL3RCA-1.5	lunghezza 1,5 mt la coppia	€ 4.490,00
2CD3DUL3RCA-2	lunghezza 2 mt la coppia	€ 4.690,00
2CD3DUL3RCA-3	lunghezza 3 mt la coppia	€ 5.090,00
	COSTO ADDIZIONALE PER MT	€ 400,00



2CD3D ULTRALINEAR SPEAKERS

LEVEL 1

2CD3DUL1SPK-08	lunghezza 8 piedi = 2,43 mt	€ 16.900,00
2CD3DUL1SPK-10	lunghezza 10 piedi = 3,04 mt	€ 17.900,00
2CD3DUL1SPK-12	lunghezza 12 piedi = 3,65 mt	€ 18.900,00
2CD3DUL1SPK-15	lunghezza 15 piedi = 4,57 mt	€ 20.400,00
	COSTO ADDIZIONALE PER piede = 0,30 cm	€ 2.500,00

LEVEL 2


2CD3DUL2SPK-08	lunghezza 8 piedi = 2,43 mt	€ 10.000,00
2CD3DUL2SPK-10	lunghezza 10 piedi = 3,04 mt	€ 10.600,00
2CD3DUL2SPK-12	lunghezza 12 piedi = 3,65 mt	€ 11.200,00
2CD3DUL2SPK-15	lunghezza 15 piedi = 4,57 mt	€ 12.100,00
	COSTO ADDIZIONALE PER piede = 0,30 cm	€ 1.500,00


LEVEL 3

2CD3DUL3SPK-08	lunghezza 8 piedi = 2,43 mt	€ 6.000,00
2CD3DUL3SPK-10	lunghezza 10 piedi = 3,04 mt	€ 6.500,00
2CD3DUL3SPK-12	lunghezza 12 piedi = 3,65 mt	€ 7.000,00
2CD3DUL3SPK-15	lunghezza 15 piedi = 4,57 mt	€ 7.750,00
	COSTO ADDIZIONALE PER piede = 0,30 cm	€ 1.250,00

SUPATRAC

SIDEWAYS UNI-PIVOT ARM - TORQUE REACTION ASSISTS CONTACT

Blackbird 	9 pollici	€ 5.280,00
	10,5 pollici	€ 6.240,00
	12 pollici	€ 6.240,00

Nighthawk 	9 pollici	€ 15.480,00
	10,5 pollici	€ 17.880,00
	12 pollici	€ 17.880,00



Amplificatori integrati

<i>Solistino</i>	<i>stereo 2x20w su 8ohm classe A</i>	<i>€ 18.900,00</i>
<i>Classico Integrated</i>	<i>10 watt per canale, valvole 300B</i>	<i>€ 20.400,00</i>
<i>Solista MK III</i>	<i>stereo 2x22w su 8ohm classe A</i>	<i>€ 25.300,00</i>

Amplificatori di potenza

<i>Solista Power</i>	<i>stereo 2x22w su 8 ohm classe A</i>	<i>€ 24.650,00</i>
<i>Classico MB</i>	<i>Finale mono 300B – prezzo la coppia</i>	<i>€ 39.300,00</i>
<i>Aurora</i>	<i>Finale mono 32w - prezzo la coppia</i>	<i>€ 65.890,00</i>

Preamplificatori

<i>F1</i>	<i>Tube phono preamp with built-in Power Supply Unit</i>	<i>€ 12.650,00</i>
<i>L1</i>	<i>Tube line preamp with built-in Power Supply Unit</i>	<i>€ 15.400,00</i>
<i>Fono</i>	<i>Tube phono preamp with External Tube PSU</i>	<i>€ 24.400,00</i>
<i>Linea</i>	<i>Tube line preamp with input selector and External Tube Power Supply Unit</i>	<i>€ 28.000,00</i>

Digital audio

<i>Numerico</i>	<i>DAC</i>	<i>€ 21.900,00</i>
-----------------	------------	--------------------

Amplificatori per cuffia

<i>Egoista 2A3</i>	<i>Headphone Amplifier</i>	<i>€ 12.000,00</i>
<i>Egoista STX 300B</i>	<i>Headphone Amplifier per cuffie STAX e HiFiMan</i>	<i>€ 20.400,00</i>
<i>Egoista 845</i>	<i>Headphone Amplifier</i>	<i>€ 18.900,00</i>

Diffusori

<i>Agile</i>	<i>diffusori da piedistallo white or black/ +20% altri colori</i>	<i>€ 11.200,00</i>
<i>Agile stands</i>	<i>piedistalli per agile white or black/ +20% altri colori</i>	<i>€ 1.800,00</i>
<i>Allegro NST</i>	<i>coppia di diffusori da pavimento con Super Tweeter</i>	<i>€ 48.800,00</i>
<i>Verticale</i>	<i>Coppia di diffusori</i>	<i>su richiesta</i>
<i>Nuda 24</i>	<i>include hybrid bass amp</i>	<i>su richiesta</i>
<i>Master Horn G4</i>	<i>Sistema di riferimento, include 4 Aurora mono + 2 bass amp</i>	<i>su richiesta</i>